

PLAY DOCTOR'S FOURTH VIDEO
"Mr. Lee Visits the Clinic"
(A M/M Exam Play Video)

Contact: playdoc@playdr.com
Website: <http://www.playdr.com>

Mr. Lee (not an Oriental man) has been having some abdominal discomfort, so he is referred to the Outpatient Clinic of the hospital. The video opens with a scene of Mr. Lee sitting on the hospital bed, fully clothed, when Dr. Marc walks in and introduces himself. After a brief discussion, Dr. Marc tells Mr. Lee to get undressed and change into the exam gown. While Dr. Marc is gone, Mr. Lee undresses down to his white briefs and then puts on the hospital gown. More waiting . . .

When Dr. Marc returns, he begins to conduct the preliminary physical assessment by taking Mr. Lee's oral temperature. While the thermometer is registering, Dr. Marc also takes Mr. Lee's pulse and blood pressure. Now Dr. Marc checks the thermometer and notices that the low temperature of just 98 degrees is not satisfactory. Since Mr. Lee is having some abdominal discomfort. Dr. Marc thinks it best to also take Mr. Lee's rectal temperature. Mr. Lee is not too happy about this, but he rolls over on his stomach. Dr. Marc lowers Mr. Lee's briefs to his knees, lubricates the rectal thermometer, and then inserts it into Mr. Lee's rectum --- and, of course, Mr. Lee expresses his objection and "discomfort" with having his temperature taken rectally. While the thermometer is registering, Dr. Marc removes Mr. Lee's briefs. When the thermometer has registered, Dr. Marc removes it from Mr. Lee's rectum and notes the reading . . . indeed, it is elevated, indicating that there must be some infection.

Having Mr. Lee sit up, Dr. Marc continues with his assessment by looking into his ears and nose, and even making him gag when looking into his mouth with the tongue depressor. Then he lowers Mr. Lee's gown and uses the stethoscope to listen to Mr. Lee's chest, back, and abdomen. He has Mr. Lee lie back on the bed to continue listening with the stethoscope and then palpate Mr. Lee's abdomen. Putting on the exam gloves, and raising the gown to expose Mr. Lee's genitals, Dr. Marc advises that he is going to conduct an examination of Mr. Lee's penis and testicles. Mr. Lee really doesn't understand why this extensive examination is necessary and he reluctantly cooperates as Dr. Marc continues his examination. Once Dr. Marc has finished examining Mr. Lee's penis and testicles, he tells Mr. Lee that it is time for the rectal examination. This is really upsetting to Mr. Lee but, realizing that he has no other choice, he does what Dr. Marc asks and gets on his hands and knees. Dr. Marc does a deep and thorough digital probing before he concludes the rectal examination.

With Mr. Lee rolled back over, having felt terribly exposed and achieving an erection during the rectal examination, Dr. Marc tells him to relax while he goes to check on the results of the labwork. While he is gone, he wants Mr. Lee to provide a urine specimen. Mr. Lee stands at the side of the bed, raises his gown, and urinates into the male collection device.

Returning shortly later, Dr. Marc uses the ultrasound probe to take a look at Mr. Lee's abdomen while Mr. Lee lies on the bed --- and raises his legs so that Dr. Marc can give the probe a good look at the prostate. Dr. Marc tells Mr. Lee that his physical examination and the lab work conclude that he has a Urinary Tract Infection (UTI), inflammation of the bladder, and inflammation of the prostate. This will require catheterization and sigmoidoscopy - procedures that will be conducted under anesthesia in the Procedure Room. This really gets Mr. Lee's attention, but not as much as when Dr. Marc produces not one - but two - needles! Dr. Marc is going to give Mr. Lee "something to make him relax" before going to the Procedure Room. Dr. Marc has Mr. Lee roll over on his stomach for the injections --- the 1st one in the left buttock and the 2nd one in the right buttock. These are big needles, and Mr. Lee yelps out when he feels Dr. Marc stick him!

As the medication is taking effect, Mr. Lee is relaxing on the hospital bed, when Dr. Marc returns. This time, Dr. Marc has brought with him a red rubber enema bag! Even though Mr. Lee is "relaxed" from the injections, he has enough awareness to know what an enema is. Dr. Marc continues and has Mr. Lee turn on his left side so the nozzle can be inserted. Dr. Marc makes sure that it is inserted deep and he makes several adjustments despite Mr. Lee's complaining. Mr. Lee really starts moaning and groaning as the water flows in and begins to fill his insides. Dr. Marc has Mr. Lee turn over on his back and raise his legs as he makes some adjustments to the nozzle. The enema is still flowing and Dr. Marc massages Mr. Lee's abdomen to ease the cramping. Mr. Lee begs Dr. Marc to stop the flow, but Dr. Marc insures that Mr. Lee takes the full 2-quart bag. Removing the nozzle, Dr. Marc tells Mr. Lee to lie there and hold it for as long as he can. Apparently, Dr. Marc knew that Mr. Lee was "F.O.S." (Full of shit) because Mr. Lee begins to expel the enema shortly after Dr. Marc puts the bedpan underneath him.

Next, we see Mr. Lee lying on the table in the Procedure Room. Dr. Marc offers a brief explanation of what is to occur and then gets Mr. Lee ready for sedation: putting electrodes on his chest, an oxygen sensor on his finger and now . . . the gas mask. As Mr. Lee is drifting off, Dr. Marc inserts a rectal temperature probe and it's not long before Mr. Lee is off into twilight la-la land. Good night, Mr. Lee.

With Mr. Lee somewhere out there in la-la land, Dr. Marc is able to conduct a better abdominal and genital examination. In preparation for some more "in depth" procedures, Dr. Marc is going to need to increase the sedation, so he inserts a nasal airway through Mr. Lee's nose (of course, Mr. Lee doesn't even know what's going on at this point!). After a bit more sedation, Dr. Marc cleanses Mr. Lee's genital area and between his buttocks with sterilizing "green soap".

Dr. Marc covers Mr. Lee's with sterile covering so that only his genitals are exposed. Then he applies betadine to his penis in preparation for catheterization. Using a syringe, Dr. Marc inserts Lubricant (sterile K-Y jelly) into Mr. Lee's urethra, and then inserts the catheter (interesting to watch Mr. Lee's legs move as his body senses the discomfort of the catheter being inserted --- he didn't really feel a thing!)

While the catheter is still inserted, Dr. Marc has an associate help to raise and separate Mr. Lee's

legs. Dr. Marc inserts two rectal dilators and a speculum into Mr. Lee's rectum (again, you see Mr. Lee move his legs and even moan --- this is his body's response to what it was feeling; he was out like a light! Perhaps he was even having an erotic dream . . .) Dr. Marc then inserts the sigmoidoscope (a long proctoscope) so he can see deep inside of Mr. Lee's rectum. The sigmoidoscope has a light on it and a pump so Dr. Marc can pump air into Mr. Lee. Uh-oh! When Dr. Marc removes the sigmoidoscope, a little bit of water from the enema follows (not too bad or gross for the uninterested). And then, a "quick rectal" so Dr. Marc can get a good feel up inside of Mr. Lee while he is sedated. Dr. Marc inserts his finger deep to try and stimulate the prostate, while at the same time massaging Mr. Lee's penis, in order to get a semen sample --- but to no avail.

Time to wake up, Mr. Lee! Dr. Marc reduces the amount of anesthesia and lets Mr. Lee slowly return to home. He covers Mr. Lee with a blanket and then checks his genitals to see if he is numb. And, the rectal temperature probe is again inserted to monitor Mr. Lee's temperature as he comes out of la-la land before he is returned to his room to recover. Yes, he knows what day it is and he even knows the date --- he's coming back just fine! Now, he's breathing on his own as Dr. Marc removes the nasal airway.

When Mr. Lee has fully recovered from the anesthesia, Dr. Marc returns to his room. He tells Mr. Lee that the procedures were successful and that he should be feeling much better. One more rectal temperature and digital rectal examination to confirm that everything is OK. Dr. Marc takes Mr. Lee's temperature with him lying on his side. Because Mr. Lee has experienced a number of procedures in his rectum, Dr. Marc inserts a medicinal suppository to soothe the internal tissues; while inserting the suppository, he also does a final rectal examination. Having Mr. Lee roll over on his back, he conducts a final genital examination. Everything is now complete, except --- Dr. Marc was unable to obtain a semen sample because Mr. Lee's prostate is located too far up inside for the manual stimulation that would cause him to ejaculate. Soooo . . . Mr. Lee is going to have to provide a semen sample. Naturally, Mr. Lee is a bit perplexed and he asks Dr. Marc how he is supposed to do this. Dr. Marc suggests that he do it the same way he does at home --- and now, Mr. Lee understands!

Dr. Marc gives Mr. Lee a specimen container and raises the head of the bed so that Mr. Lee is in more of a relaxed sitting position to masturbate. When Dr. Marc leaves the room, Mr. Lee begins the task of providing the masturbation semen sample. He lightly strokes his chest and belly and then begins stroking his penis. Getting an erection is not a problem, but Mr. Lee feels a bit of pressure and discomfort from having the catheter inserted, so it takes him a while to have an orgasm (10 minutes --- great if you like to watch a guy masturbate --- where was Dr. Marc's prostate massage when he needed it?). But, when he finally does ejaculate, he provides a nice specimen and collects all of it in the container (he hasn't ejaculated for 3 days in accordance with the Clinic's instructions). He puts the lid on the container and puts it on the bedside stand, going to rest for a few moments before getting dressed. And, this is all we see of Mr. Lee.

TECHNICAL NOTES:

1) The running time of the video is 78 minutes. Filming is excellent with good lighting and a nice mix of distant and close up perspectives. All insertions are shown at a distance prior to insertions, close up during insertion, and at a distance when an insertion remains in place (as with a rectal thermometer or the enema nozzle). Sound quality is good throughout most of the video and key discussions are heard clearly; however, there was some interference in the room caused by the electrically operated medical equipment which causes a hissing background noise in the remote microphone system. Overall, this should not present a problem as the content and presentation of the video far outweigh the sound shortfall. The video was filmed by "Dr. Rick", PLAY DOCTOR'S associate, with grateful acknowledgment. Cost for the video is \$100 (payable by money order in US Funds) - Obtain an Order Form from the PLAY DOCTOR website (<http://www.playdr.com>) and follow the instructions listed on the form.

2) The patient is a straight white male in his late 30's . . . an "average American white guy" of 5'8" and 180 pounds. Do not expect to see some "young stud" or "glory boy". The patient was intentionally selected to add more realism to the video.

3) There are no male-to-male sexual acts in the video. Every scene that occurs is exactly as is described above. Again, this was intentional so as to add realism to the video. PLAY DOCTOR provides this realistic video in response to the countless productions that he has seen where the producers have absolutely no idea what making a medical fantasy role-play video is all about! In that vain, he hopes you enjoy this work. Both the "Doctor" and the "patient" enjoy medical fantasy role-play and they had a good time making the video --- would somebody who wasn't "into it" have done it at all?

4) The video was filmed in the facility, and using the resources, known as the "Fantasy Hospital". If you are interested in more information about receiving treatment at the Fantasy Hospital, address your inquiry to the Head Nurse: fantasyhospital@pvnet.org

5) There are other PLAY DOCTOR videos, although they feature female patients being examined by PLAY DOCTOR.

LEGAL DISCLAIMER & IMPORTANT NOTES:

"THIS VIDEO WAS MADE BETWEEN CONSENTING ADULTS HAVING TAKEN PRECAUTIONS TO INSURE THE SAFETY AND SECURITY OF ALL PARTICIPANTS INVOLVED. THE PRIMARY PURPOSE OF THE VIDEO IS FOR THE ENTERTAINMENT OF ADULTS WHO MAY BE INTERESTED IN MEDICAL FANTASY ROLE PLAYING. IT IS, HOWEVER, NOT OFFERED AS A TRAINING VIDEO FOR MEDICAL FANTASY ROLE PLAYING OR ANY OTHER PURPOSE WHATSOEVER."

1) This video was created in a fully equipped medical facility under the direct and careful supervision of trained medical personnel. Do not attempt medical fantasy role play that is

outside of your knowledge and ability. You and/or your partner may be injured and/or death may occur.

2) The patient in this video, "Mr. Lee", received injections of sterile saline solution. Although he was sedated during "procedures", the use of inhalants was carefully supervised by trained medical personnel. Improper use of inhalants will result in serious injury and/or death if not used properly. Do not attempt to use inhalants for recreational purposes unless you have been fully trained and understand their effects upon the systems of the body.

3) The use of any drugs in any form, outside of the recommendation from a physician and in controlled quantity, is strongly discouraged. PLAY DOCTOR and any affiliates, associates, agents, contractors, or anybody otherwise associated with the production of any PLAY DOCTOR medical fantasy medium do not condone the use of recreational drugs nor will they be held responsible for the actions of any persons who allege their use (and the consequences thereof) were a result of information contained in PLAY DOCTOR medical fantasy medium.

4) Fantasy role playing, for the purpose of sexual fulfillment or otherwise, must be undertaken only between consenting adults and with appropriate precautions being taken to insure that scenarios do not threaten the safety or security of any persons whether or not they are involved in the fantasy role playing scenario. PLAY DOCTOR and any affiliates, associates, agents, contractors, or anybody otherwise associated with the production of any PLAY DOCTOR medical fantasy medium do not condone fantasy role playing under any other circumstances nor will they be held responsible for the actions of any persons who allege their actions (and the consequences thereof) were a result of information contained in PLAY DOCTOR medical fantasy medium.